FACT SHEET FOR RECIPIENTS AND CAREGIVERS EMERGENCY USE AUTHORIZATION (EUA) OF THE MODERNA COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19) IN INDIVIDUALS 18 YEARS OF AGE AND OLDER

You are being offered the Moderna COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2. This Fact Sheet contains information to help you understand the risks and benefits of the Moderna COVID-19 Vaccine, which you may receive because there is currently a pandemic of COVID-19.

The Moderna COVID-19 Vaccine is a vaccine and may prevent you from getting COVID-19. There is no U.S. Food and Drug Administration (FDA) approved vaccine to prevent COVID-19.

Read this Fact Sheet for information about the Moderna COVID-19 Vaccine. Talk to the vaccination provider if you have questions. It is your choice to receive the Moderna COVID-19 Vaccine.

The Moderna COVID-19 Vaccine is administered as a 2-dose series, 1 month apart, into the muscle.

The Moderna COVID-19 Vaccine may not protect everyone.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please visit www.modernatx.com/covid19vaccine-eua.

WHAT YOU NEED TO KNOW BEFORE YOU GET THIS VACCINE

WHAT IS COVID-19?

COVID-19 is caused by a coronavirus called SARS-CoV-2. This type of coronavirus has not been seen before. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

WHAT IS THE MODERNA COVID-19 VACCINE?

The Moderna COVID-19 Vaccine is an unapproved vaccine that may prevent COVID-19. There is no FDA-approved vaccine to prevent COVID-19.

The FDA has authorized the emergency use of the Moderna COVID-19 Vaccine to prevent COVID-19 in individuals 18 years of age and older under an Emergency Use Authorization (EUA).

For more information on EUA, see the "What is an Emergency Use Authorization (EUA)?" section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR VACCINATION PROVIDER BEFORE YOU GET THE MODERNA COVID-19 VACCINE?

Tell your vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine

WHO SHOULD GET THE MODERNA COVID-19 VACCINE?

FDA has authorized the emergency use of the Moderna COVID-19 Vaccine in individuals 18 years of age and older.

WHO SHOULD NOT GET THE MODERNA COVID-19 VACCINE?

You should not get the Moderna COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

WHAT ARE THE INGREDIENTS IN THE MODERNA COVID-19 VACCINE?

The Moderna COVID-19 Vaccine contains the following ingredients: messenger ribonucleic acid (mRNA), lipids (SM-102, polyethylene glycol [PEG] 2000 dimyristoyl glycerol [DMG], cholesterol, and 1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC]), tromethamine, tromethamine hydrochloride, acetic acid, sodium acetate, and sucrose.

HOW IS THE MODERNA COVID-19 VACCINE GIVEN?

The Moderna COVID-19 Vaccine will be given to you as an injection into the muscle.

The Moderna COVID-19 Vaccine vaccination series is 2 doses given 1 month apart.

If you receive one dose of the Moderna COVID-19 Vaccine, you should receive a second dose of the same vaccine 1 month later to complete the vaccination series.

HAS THE MODERNA COVID-19 VACCINE BEEN USED BEFORE?

The Moderna COVID-19 Vaccine is an unapproved vaccine. In clinical trials, approximately 15,400 individuals 18 years of age and older have received at least 1 dose of the Moderna COVID-19 Vaccine.

WHAT ARE THE BENEFITS OF THE MODERNA COVID-19 VACCINE?

In an ongoing clinical trial, the Moderna COVID-19 Vaccine has been shown to prevent COVID-19 following 2 doses given 1 month apart. The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE MODERNA COVID-19 VACCINE?

Side effects that have been reported with the Moderna COVID-19 Vaccine include:

- Injection site reactions: pain, tenderness and swelling of the lymph nodes in the same arm of the injection, swelling (hardness), and redness
- General side effects: fatigue, headache, muscle pain, joint pain, chills, nausea and vomiting, and fever

There is a remote chance that the Moderna COVID-19 Vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the Moderna COVID-19 Vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

These may not be all the possible side effects of the Moderna COVID-19 Vaccine. Serious and unexpected side effects may occur. The Moderna COVID-19 Vaccine is still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is 1-800-822-7967 or report online to https://vaers.hhs.gov/reportevent.html. Please include "Moderna COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to ModernaTX, Inc. at 1-866-MODERNA (1-866-663-3762).

You may also be given an option to enroll in **v-safe**. **V-safe** is a new voluntary smartphone-based tool that uses text messaging and web surveys to check in with people who have been vaccinated to identify potential side effects after COVID-19 vaccination. **V-safe** asks questions that help CDC monitor the safety of COVID-19 vaccines. **V-safe** also provides second-dose reminders if needed and live telephone follow-up by CDC if participants report a significant health impact following COVID-19 vaccination. For more information on how to sign up, visit: www.cdc.gov/vsafe.

WHAT IF I DECIDE NOT TO GET THE MODERNA COVID-19 VACCINE?

It is your choice to receive or not receive the Moderna COVID-19 Vaccine. Should you decide not to receive it, it will not change your standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES MODERNA COVID-19 VACCINE?

Currently, there is no FDA-approved alternative vaccine available for prevention of COVID-19. Other vaccines to prevent COVID-19 may be available under Emergency Use Authorization.

CAN I RECEIVE THE MODERNA COVID-19 VACCINE WITH OTHER VACCINES?

There is no information on the use of the Moderna COVID-19 Vaccine with other vaccines.

WHAT IF I AM PREGNANT OR BREASTFEEDING?

If you are pregnant or breastfeeding, discuss your options with your healthcare provider.

WILL THE MODERNA COVID-19 VACCINE GIVE ME COVID-19?

No. The Moderna COVID-19 Vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.

KEEP YOUR VACCINATION CARD

When you receive your first dose, you will get a vaccination card to show you when to return for your second dose of the Moderna COVID-19 Vaccine. Remember to bring your card when you return.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below.

Moderna COVID-19 Vaccine website	Telephone number
www.modernatx.com/covid19vaccine-eua	1-866-MODERNA (1-866-663-3762)

HOW CAN I LEARN MORE?

- Ask the vaccination provider
- Visit CDC at https://www.cdc.gov/coronavirus/2019-ncov/index.html
- Visit FDA at <u>https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-</u> regulatory-and-policy-framework/emergency-use-authorization
- Contact your state or local public health department

WHERE WILL MY VACCINATION INFORMATION BE RECORDED?

The vaccination provider may include your vaccination information in your state/local jurisdiction's Immunization Information System (IIS) or other designated system. This will ensure that you receive the same vaccine when you return for the second dose. For more information about IISs, visit: <u>https://www.cdc.gov/vaccines/programs/iis/about.html</u>.

WHAT IS THE COUNTERMEASURES INJURY COMPENSATION PROGRAM?

The Countermeasures Injury Compensation Program (CICP) is a federal program that may help pay for costs of medical care and other specific expenses of certain people who have been seriously injured by certain medicines or vaccines, including this vaccine. Generally, a claim must be submitted to the CICP within one (1) year from the date of receiving the vaccine. To learn more about this program, visit <u>www.hrsa.gov/cicp/</u> or call 1-855-266-2427.

WHAT IS AN EMERGENCY USE AUTHORIZATION (EUA)?

The United States FDA has made the Moderna COVID-19 Vaccine available under an emergency access mechanism called an EUA. The EUA is supported by a Secretary of Health and Human Services (HHS) declaration that circumstances exist to justify the emergency use of drugs and biological products during the COVID-19 pandemic.

The Moderna COVID-19 Vaccine has not undergone the same type of review as an FDAapproved or cleared product. FDA may issue an EUA when certain criteria are met, which includes that there are no adequate, approved, and available alternatives. In addition, the FDA decision is based on the totality of the scientific evidence available showing that the product may be effective to prevent COVID-19 during the COVID-19 pandemic and that the known and potential benefits of the product outweigh the known and potential risks of the product. All of these criteria must be met to allow for the product to be used during the COVID-19 pandemic.

The EUA for the Moderna COVID-19 Vaccine is in effect for the duration of the COVID-19 EUA declaration justifying emergency use of these products, unless terminated or revoked (after which the products may no longer be used).

©2020 ModernaTX, Inc. All rights reserved. Patent(s): <u>www.modernatx.com/patents</u> Revised: 12/2020



Scan to capture that this Fact Sheet was provided to vaccine recipient for the electronic medical records/immunization information systems.

Barcode Date: 12/2020

FACT SHEET FOR RECIPIENTS AND CAREGIVERS

EMERGENCY USE AUTHORIZATION (EUA) OF THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19) IN INDIVIDUALS 16 YEARS OF AGE AND OLDER

You are being offered the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2. This Fact Sheet contains information to help you understand the risks and benefits of the Pfizer-BioNTech COVID-19 Vaccine, which you may receive because there is currently a pandemic of COVID-19.

The Pfizer-BioNTech COVID-19 Vaccine is a vaccine and may prevent you from getting COVID-19. There is no U.S. Food and Drug Administration (FDA) approved vaccine to prevent COVID-19.

Read this Fact Sheet for information about the Pfizer-BioNTech COVID-19 Vaccine. Talk to the vaccination provider if you have questions. It is your choice to receive the Pfizer-BioNTech COVID-19 Vaccine.

The Pfizer-BioNTech COVID-19 Vaccine is administered as a 2-dose series, 3 weeks apart, into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine may not protect everyone.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please see <u>www.cvdvaccine.com</u>.

WHAT YOU NEED TO KNOW BEFORE YOU GET THIS VACCINE?

WHAT IS COVID-19?

COVID-19 disease is caused by a coronavirus called SARS-CoV-2. This type of coronavirus has not been seen before. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

WHAT IS THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine that may prevent COVID-19. There is no FDA-approved vaccine to prevent COVID-19.

The FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 years of age and older under an Emergency Use Authorization (EUA).

For more information on EUA, see the "What is an Emergency Use Authorization (EUA)?" section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR VACCINATION PROVIDER BEFORE YOU GET THE PFIZER-BIONTECH COVID-19 VACCINE?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine

WHO SHOULD GET THE PFIZER-BIONTECH COVID-19 VACCINE?

FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine in individuals 16 years of age and older.

WHO SHOULD NOT GET THE PFIZER-BIONTECH COVID-19 VACCINE?

You should not get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine.

WHAT ARE THE INGREDIENTS IN THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer-BioNTech COVID-19 Vaccine includes the following ingredients: mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.

HOW IS THE PFIZER-BIONTECH COVID-19 VACCINE GIVEN?

The Pfizer-BioNTech COVID-19 Vaccine will be given to you as an injection into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine vaccination series is 2 doses given 3 weeks apart.

If you receive one dose of the Pfizer-BioNTech COVID-19 Vaccine, you should receive a second dose of this same vaccine 3 weeks later to complete the vaccination series.

HAS THE PFIZER-BIONTECH COVID-19 VACCINE BEEN USED BEFORE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine. In clinical trials, approximately 20,000 individuals 16 years of age and older have received at least 1 dose of the Pfizer-BioNTech COVID-19 Vaccine.

WHAT ARE THE BENEFITS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

In an ongoing clinical trial, the Pfizer-BioNTech COVID-19 Vaccine has been shown to prevent COVID-19 following 2 doses given 3 weeks apart. The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

Side effects that have been reported with the Pfizer-BioNTech COVID-19 Vaccine include:

- injection site pain
- tiredness
- headache
- muscle pain
- chills
- joint pain
- fever
- injection site swelling
- injection site redness
- nausea
- feeling unwell
- swollen lymph nodes (lymphadenopathy)

There is a remote chance that the Pfizer-BioNTech COVID-19 Vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the Pfizer-BioNTech COVID-19 Vaccine. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

These may not be all the possible side effects of the Pfizer-BioNTech COVID-19 Vaccine. Serious and unexpected side effects may occur. Pfizer-BioNTech COVID-19 Vaccine is still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to **FDA/CDC Vaccine Adverse Event Reporting System (VAERS)**. The VAERS toll-free number is 1-800-822-7967 or report online to <u>https://vaers.hhs.gov/reportevent.html</u>. Please include "Pfizer-BioNTech COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website	Fax number	Telephone number						
www.pfizersafetyreporting.com	1-866-635-8337	1-800-438-1985						

WHAT IF I DECIDE NOT TO GET THE PFIZER-BIONTECH COVID-19 VACCINE?

It is your choice to receive or not receive the Pfizer-BioNTech COVID-19 Vaccine. Should you decide not to receive it, it will not change your standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES PFIZER-BIONTECH COVID-19 VACCINE?

Currently, there is no approved alternative vaccine available for prevention of COVID-19. FDA may allow the emergency use of other vaccines to prevent COVID-19.

CAN I RECEIVE THE PFIZER-BIONTECH COVID-19 VACCINE WITH OTHER VACCINES?

There is no information on the use of the Pfizer-BioNTech COVID-19 Vaccine with other vaccines.

WHAT IF I AM PREGNANT OR BREASTFEEDING?

If you are pregnant or breastfeeding, discuss your options with your healthcare provider.

WILL THE PFIZER-BIONTECH COVID-19 VACCINE GIVE ME COVID-19?

No. The Pfizer-BioNTech COVID-19 Vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.

KEEP YOUR VACCINATION CARD

When you get your first dose, you will get a vaccination card to show you when to return for your second dose of Pfizer-BioNTech COVID-19 Vaccine. Remember to bring your card when you return.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below.

Global website	Telephone number
www.cvdvaccine.com	
	1-877-829-2619 (1-877-VAX-CO19)

HOW CAN I LEARN MORE?

- Ask the vaccination provider.
- Visit CDC at https://www.cdc.gov/coronavirus/2019-ncov/index.html.
- Visit FDA at <u>https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization</u>.
- Contact your local or state public health department.

WHERE WILL MY VACCINATION INFORMATION BE RECORDED?

The vaccination provider may include your vaccination information in your state/local jurisdiction's Immunization Information System (IIS) or other designated system. This will ensure that you receive the same vaccine when you return for the second dose. For more information about IISs visit: <u>https://www.cdc.gov/vaccines/programs/iis/about.html.</u>

WHAT IS THE COUNTERMEASURES INJURY COMPENSATION PROGRAM?

The Countermeasures Injury Compensation Program (CICP) is a federal program that may help pay for costs of medical care and other specific expenses of certain people who have been seriously injured by certain medicines or vaccines, including this vaccine. Generally, a claim must be submitted to the CICP within one (1) year from the date of receiving the vaccine. To learn more about this program, visit www.hrsa.gov/cicp/ or call 1-855-266-2427.

WHAT IS AN EMERGENCY USE AUTHORIZATION (EUA)?

The United States FDA has made the Pfizer-BioNTech COVID-19 Vaccine available under an emergency access mechanism called an EUA. The EUA is supported by a Secretary of Health and Human Services (HHS) declaration that circumstances exist to justify the emergency use of drugs and biological products during the COVID-19 pandemic.

The Pfizer-BioNTech COVID-19 Vaccine has not undergone the same type of review as an FDA-approved or cleared product. FDA may issue an EUA when certain criteria are met, which includes that there are no adequate, approved, available alternatives. In addition, the FDA decision is based on the totality of scientific evidence available showing that the product may be effective to prevent COVID-19 during the COVID-19 pandemic and that the known and potential benefits of the product outweigh the known and potential risks of the product. All of these criteria must be met to allow for the product to be used in the treatment of patients during the COVID-19 pandemic.

The EUA for the Pfizer-BioNTech COVID-19 Vaccine is in effect for the duration of the COVID-19 EUA declaration justifying emergency use of these products, unless terminated or revoked (after which the products may no longer be used).



Manufactured by Pfizer Inc., New York, NY 10017

BIONTECH

Manufactured for BioNTech Manufacturing GmbH An der Goldgrube 12 55131 Mainz, Germany

LAB-1451-1.0

Revised: December 2020



Scan to capture that this Fact Sheet was provided to vaccine recipient for the electronic medical records/immunization information systems.

Barcode Date: 12/2020

COVID-19 Vaccine Consent Form

	(First)				(M.I.)	Date of E	Birth		
						Month	Day	Year	
STREET ADDRESS					AGE		GENDER		
СІТҮ			STAT	E			ZIP		
RACE									
1 – American Indian or Alaska	a Native	2 –	Asian	3 – Nat	ive Ha	waiian/Oth	ner Pacific Is	slander	
4 – Black or African American		5 –	White	6 – Oth	er Ra	се			
ETHNICITY									
1 – Hispanic 2 – N	lot Hispa	nic or	Latino	3	– Oth	er Race			
Section 2: Consent									
understand the benefits and ri reactions that may result. I ag									
Patient/Representative Signatu	ıre					Date			
Name of Representative						Relation	nship		
·							·		
Section 3: Screening & Vaco	cination	(Vacc	ine Admini	strators l	Jse O	nly)			
Section 3: Screening & Vaco Height: Weight		•		strators l	Jse O	nly)			
-	:		Allergies:	strators l	Jse O		cination 2		
Height: Weight Vaccination	: <u> </u>	•				Vaco		YES	NO
Height: Weight Vaccination 1. Are you allergic to any of the	:: 1		Allergies:	1. Are y	vou alle	Vaco ergic to an	y of the	-	NO
Height: Weight Vaccination 1. Are you allergic to any of the components listed on the Va	:: 1		Allergies:	1. Are y comp	vou alle	Vaco ergic to an		-	NO
Height: Weight Vaccination 1. Are you allergic to any of the components listed on the Va Information Sheet?	n 1 e accine	YES	Allergies:	1. Are y comp Inform	vou alle ponent matior	Vaco ergic to an is listed on o Sheet?	y of the the Vaccine	-	NO
Height: Weight Vaccination 1. Are you allergic to any of the components listed on the Va	n 1 e accine		Allergies:	1. Are y comp Inform 2. Are y	vou alle conent matior vou fee	Vaco ergic to an is listed on o Sheet?	y of the	-	NO

Individuals that answer yes to any of the questions should not receive the vaccine at this time.

Section 4: Vaccination Record

Date of Vaccination		njection e circle)	Vaccine Manufacturer	Lot Number	Expiration Date	Name and Title of Vaccine Administrator						
	L arm	R arm										
	L arm	R arm										

TEXAS Health and Human Services Health Services	ImmTrac2 Immunization Registry DISASTER INFORMATION RETENTION CONSENT FORM
(Please print clearly)	
Client's Last Name	
Client's First Name *A parent, legal guardian o	Client's Middle Name
conservator must sign this	
Client's Date of Birth is younger than 18 years of	age.
Client's Address	Apartment # Client's Telephone
City	State Zip Code County
Mother's First Name (if client is younger than 18 years of age)	Mother's Maiden Name (if client is younger than 18 years of age)
 public health emergency. From the time the event is declared of from health-care providers for a period of 5 years. At the end of information will be removed from the Registry unless consent the 5 year retention period. <i>The Texas Department of State Feventity participation in the Voluntary participation in the Voluntary participation in the Voluntary participation in the System of State System of State System of State accessed by:</i> a state agency, for the purpose of aiding and coordinating a physician or other health-care provider legally authorized for treating the client as a patient; I understand that I may withdraw this consent to retain inform period and my consent to release information from the Registry Department of State Health Services, ImmTrac2 Group – MC 	to individuals in preparation for, or in response to, a disaster or over, ImmTrac2 will retain disaster-related information received of the 5 year retention period, client-specific disaster-related is granted to retain the client information in ImmTrac2 beyond <i>Health Services (DSHS) encourages your</i> <i>the Texas immunization registry.</i> tion and Release of Information to Authorized Entities zing retention of my (or my child's) disaster-related information tand that DSHS will include this information in the state's ac2, my (or my child's) disaster-related information may by law be communicable disease prevention and control efforts, and / or d to administer immunizations, antivirals, and other medications, mation in the ImmTrac2 Registry beyond the 5 year retention ry, at any time by written communication to the Texas 2 1946, P. O. Box 149347, Austin, Texas 78714-9347.
By my signature below, I <u>GRANT</u> consent to retain my or younger than age 18) in the Texas immunization registry	beyond the 5 year retention period.
Client (or parent, legal guardian, or managing conservator): $\frac{1}{P}$	rinted Name:
Date: Signature:	
Texas collects about you. You are entitled to receive and review	to request and be informed about information that the State of v the information upon request. You also have the right to ask the e incorrect. See <u>http://www.dshs.tex.as.gov</u> for more information on 52.021, 552.023, 559.003, and 559.004)
	ImmTrac2 Group or a registered Health-care provider.66) 624-0180www.ImmTrac.com• ImmTrac2 DCGroup – MC 1946• P. O. Box 149347• Austin, TX 78714-9347
	<u>TERED WITH ImmTrac2</u>

Please enter client information in ImmTrac2 and **affirm** that consent has been granted. **DO NOT** fax to ImmTrac2. **Retain this form in your client's record.**

Ì	Hea Ser de e	scr:	bir		Health Services									1	ImmTrac2 Immunization Registry <u>FORMULARIO DE CONSENTIMIENTO</u> <u>DE RETENCIÓN DE INFORMACIÓN</u> <u>SOBRE EL DESASTRE</u>														ł									
Apellid	$\frac{0 \text{ de}}{1}$	$\frac{1}{1}$	lie	nte	-		— 1								<u> </u>	1	7					<u> </u>	<u> </u>	<u> </u>	<u> </u>	—	—					—			_			
Nombr	e de	<u> </u> 1 C	lie	 nte																Seg	r111			0m	 hre		<u> </u> -1 (nte	<u>`</u>								
	/		1 /		<u> </u>	_	Т	٦			Uno gal c								do	C	·									_	-				_	-		
Fecha d	ie N	Jac]/ im	L	L to	del		 lier	ite		ormi														ad.		Gé	ne	ro:		M	las	cul	ino		F	eme	enino
	T		Т		T		Τ				П					Т			Γ		Т	Τ	Т	Τ	٦		Γ	Τ		Т	-	Т			-	Т		
Direcci	ón	del	Ċli	ien	te												_	_	A	part	an	nen	to	#			T	elé	fon	0	del	cli	ent	e				
Ciudad											<u>г г</u>		_	_	1	-	_		Es	tado)	_(ligo	o P	ost	al	-		or	ndao	do						
					ļ						Ц	10				Ļ		Ĺ	11									Ļ							10	<u> </u>		
Nombre																	,										`											,
• los	l) In zacio ncia hada info mac do q mi de i ac2, ager ordin méd	um] ones de con orm ión ue, hijo nmu pue, naci	fraces, and salution of the second se	2, e ntiv ud p des ón c Imn lar 1 má zaci ésta stata y der	el r ira púł sas del m is a ón a p ale	cor cor allá del cor l clie cor allá del por l s, co	stro y o a. A reci ente 2 r del l es ley on	o de tros A pa ibid e re más <i>E</i> Co de ntin per stade ser el p	inr s m urtir la p laci allá <i>a</i> b <i>a</i> c <i>l D</i> <i>a</i> c <i>l D</i> <i>a</i> c <i>l D</i> <i>a</i> c <i>l D</i> <i>a</i> c <i>l D</i> <i>a</i> c <i>l D</i> <i>a</i> <i>a</i> <i>a</i> <i>b</i> <i>a</i> <i>b</i> <i>a</i> <i>b</i> <i>a</i> <i>b</i> <i>b</i> <i>c</i> <i>l D</i> <i>a</i> <i>c</i> <i>b</i> <i>b</i> <i>c</i> <i>l D</i> <i>a</i> <i>b</i> <i>c</i> <i>l D</i> <i>a</i> <i>c</i> <i>l D</i> <i>a</i> <i>c</i> <i>l D</i> <i>a</i> <i>c</i> <i>c</i> <i>l D</i> <i>a</i> <i>c</i> <i>c</i> <i>b</i> <i>c</i> <i>b</i> <i>c</i> <i>c</i> <i>b</i> <i>c</i> <i>c</i> <i>b</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i> <i>c</i>	nun edia or j ona á de <i>pan</i> ent stre finto do c firm edia ossi	nizac camo profi ada c el per <i>rtam</i> <i>rticip</i> : imi : : : : : : : : : :	ción enti esia com enti enti tent cor: e av sal	n de os 2 entcona i el c do c o E to c a c nua ición 2").	e Ta adm) er les des des <i>sta.</i> <i>nta</i> le ució n d	exas ninii n qu de sastu rete <i>tal c</i> <i>tal c</i>	s, l sta la re ne ne enc enc aut af ze lo	na si rado se d salu se ra ción <i>Serv</i> nte en ción toriz nos. c qua s es	do s a ecl d d em de <i>icio</i> <i>n el</i> n d n d n d n d n d fue	de ind are lurz ove 5 z s de ' reg e in rm i ir rzo	sign: fina inte erá d iños <i>s Sal</i> <i>sistro</i> nfor acid DSH ás e: nfor nos de	ado luo lliz: un el 1 <i>un</i> <i>de</i> ma 5 n S a ntio ma : pr	o co s du ado <u>per</u> cegis cegis <i>de T</i> <i>inm</i> ació a e r que endo ción	mo iran el o ioc fexa punto fexa punto fexa punto fexa punto fexa punto fexa punto fexa punto fera	o el nte i evente i lo d o a r as (l izaca rela dad tengue e lación y	siste la p nto, le 5 ner DSI <i>ión</i> i cio les ga r el D ona y co	ema rep Irr <u>año</u> nos <i>HS</i> <i>de</i> D na au ni i SH da ontr	a de para im <u>os</u> . que que <i>fexio</i> da tor is in cor cor col c	e in ció Ira Al e so <i>ani</i> <i>as.</i> co iza orm nclin el de o	aforn o c2 r fina e dé <i>ima</i> ima ima ina c das ació uirá des enfe	ma rete il d el 1 5 5 6 1 5 5 5 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8	rela rela in tre (n y esta rá la perio nser nser	seg a a n odc ntim nac rma a de	la co nició nició nisi	on on hij	el de n el o[a]	esass esass reg	tre istro té en
Entienc de 5 añ dirigida	do q os y	ue j mi	oue coi	do 1 1ser	ret ntii	irar mie	el nto	con pa	isen ra c	itim lar	nient a co:	io p no	oara cer l	la i	nfo	rn	nació	ón (del	regi	stro	o, ei	1 CI	ualc	luie	r m	om	nen	to n	neo	dian	ite (con	nun	icad	ción	esc	rita
Con m desast period Cliente	re (o d	o la e re	de ter	e m ncić	i l Sn	nijo de	[a] 5 a	si año	es s.	me	enor	de	e 18	aí	ĭos	d	e ec	Īad	l) e	n el	re	gis	tro	de	in	mu	niz										de	21
Fecha:						-										F	irm	a:_																				
Notific informa Usted ta a <u>http://</u> 552.023	ación amb / <u>nm</u>	n qu ién <u>v.<i>dsl</i></u>	e el tien <u>s.<i>te:</i></u>	Est e el <u>xas.g</u>	tad de <u>jov</u>	lo d erecl para	e T ho ('exas de p	s re pedi	úne Ir qu	sob 1e la	re i ago	iste enci	d. a e	A u stata	ste al o	ed se corri	e le ija c	det cual	be co quie	nc r ir	eder 1for1	: el mao	dero ción	echo qu	o de e se	e re e ha	cib de	ir y 1 tern	rev nin	visar 1ado	la i sea	nfo a inc	rma corr	ició ecta	n al a. D	req 9iríja	uerirla. 1se
Al relle ¿Tiene Texas I	pre	gui	nta	s?	(8	(00	25	52-9	152	2•	(5	12)	77	6-7	7284	4	•]	Fax	: (8	866)	62	24-0	180	0	•	WW	w.l	[<u>m</u>	mTı	rac	c ot	<u>m</u>	•	Im	mТ	'rac2	2 D	С
																				ED																		
					Р	leas					t inf ' fax																			\sim	rant	ed.						

Get vaccinated. Get your smartphone. Get started with v-safe.

What is v-safe?

V-safe is a smartphone-based tool that uses text messaging and web surveys to provide personalized health check-ins after you receive a COVID-19 vaccination. Through *v-safe*, you can quickly tell CDC if you have any side effects after getting the COVID-19 vaccine. Depending on your answers, someone from CDC may call to check on you. And *v-safe* will remind you to get your second COVID-19 vaccine dose if you need one.

Your participation in CDC's *v-safe* makes a difference – it helps keep COVID-19 vaccines safe.

How can I participate?

Once you get a COVID-19 vaccine, you can enroll in *v-safe* using your smartphone. Participation is voluntary and you can opt out at any time. You will receive text messages from *v-safe* around 2pm local time. To opt out, simply text "STOP" when *v-safe* sends you a text message. You can also start *v-safe* again by texting "START."

How long do v-safe check-ins last?

During the first week after you get your vaccine, *v-safe* will send you a text message each day to ask how you are doing. Then you will get check-in messages once a week for up to 5 weeks. The questions *v-safe* asks should take less than 5 minutes to answer. If you need a second dose of vaccine, *v-safe* will provide a new 6-week check-in process so you can share your second-dose vaccine experience as well. You'll also receive check-ins 3, 6, and 12 months after your final dose of vaccine.

Is my health information safe?

Yes. Your personal information in *v-safe* is protected so that it stays confidential and private.*



Use your smartphone to tell CDC about any side effects after getting the COVID-19 vaccine. You'll also get reminders if you need a second vaccine dose.



Sign up with your smartphone's browser at

vsafe.cdc.gov

OR

Aim your smartphone's camera at this code




^{*}To the extent *v-safe* uses existing information systems managed by CDC, FDA, and other federal agencies, the systems employ strict security measures appropriate for the data's level of sensitivity. These measures comply, where applicable, with the following federal laws, including the Privacy Act of 1974; standards enacted that are consistent with the Health Insurance Portability and Accountability Act of 1996 (HIPAA); the Federal Information Security Management Act, and the Freedom of Information Act.

How to register and use v-safe

You will need your smartphone and information about the COVID-19 vaccine you received. This information can be found on your vaccination record card; if you cannot find your card, please contact your healthcare provider.

Register

1. Go to the *v-safe* website using one of the two options below:



- 2. Read the instructions. Click Get Started.
- 3. Enter your name, mobile number, and other requested information. Click Register.
- You will receive a text message with a verification code on your smartphone. Enter the code in *v-safe* and click Verify.
- 5. At the top of the screen, click Enter your COVID-19 vaccine information.
- Select which COVID-19 vaccine you received (found on your vaccination record card; if you cannot find your card, please contact your healthcare provider). Then enter the date you were vaccinated. Click Next.
- 7. Review your vaccine information. If correct, click Submit. If not, click Go Back.
- 8. Congrats! You're all set! If you complete your registration before 2pm local time, v-safe will start your initial health check-in around 2pm that day. If you register after 2pm, v-safe will start your initial health check-in immediately after you register just follow the instructions.

You will receive a reminder text message from *v-safe* when it's time for the next check-in – around 2pm local time. Just click the link in the text message to start the check-in.

Complete a v-safe health check-in

- 1. When you receive a *v-safe* check-in text message on your smartphone, click the link when ready.
- 2. Follow the instructions to complete the check-in.

Troubleshooting

How can I come back and finish a check-in later if I'm interrupted?

 Click the link in the text message reminder to restart and complete your check-in.

How do I update my vaccine information after my second COVID-19 vaccine dose?

 V-safe will automatically ask you to update your second dose information. Just follow the instructions.

Need help with v-safe?

Call 800-CDC-INFO (800-232-4636) TTY 888-232-6348 Open 24 hours, 7 days a week Visit www.cdc.gov/vsafe

